

Veterinary Anaesthesia School

Romania

Zürcherstrasse 39

CH - 8400 Winterthur

Tel.: 0041 52 212 3832

Fax: 0041 52 212 3833



Registration and Preparation Questionnaire

Personal data

Name:
Private address:
Work address:
Phone numbers: Private: Work: Cell-phone: Fax: Please mark your preferred contact phone with X
Email: Work: Private: Please mark your preferred contact email with X
Professional degrees:
Year of graduation:

Payment modalities:

I will pay the full course fees in one installment (3 Modules incl. exam, 10% downpayment is required to maintain registration; payment in full is due at the day of course start)	EUR 3'000.--	<input type="checkbox"/>
I will pay each module singly (same conditions as above)	EUR 1000.--	<input type="checkbox"/>
I will pay the examination (to be paid BEFORE examination)	EUR 300.--	<input type="checkbox"/>
Payments can be made in <u>cash</u> (paypal and credit card is also possible; international bank transfer (fees apply and are charged to sender); please indicate your preferred payment option here:	Cash	<input type="checkbox"/>
	Paypal	<input type="checkbox"/>
	Bank transfer	<input type="checkbox"/>

Please prepare a commercial invoice

to my private address:	<input type="checkbox"/>
to my employer's address:	<input type="checkbox"/>

Experience in Veterinary Anaesthesia

Which species did you work with in anaesthesia?				
Did you:				
Examine patients by yourself?	<input type="checkbox"/>	Often	<input type="checkbox"/>	Rarely <input type="checkbox"/> Never
Technical knowledge and abilities?	<input type="checkbox"/>	Good	<input type="checkbox"/>	Interm. <input type="checkbox"/> Little
Place IV-catheter?	<input type="checkbox"/>	Often	<input type="checkbox"/>	Rarely <input type="checkbox"/> Never
Intramuscular injections?	<input type="checkbox"/>	Often	<input type="checkbox"/>	Rarely <input type="checkbox"/> Never
Subcutaneous injections?	<input type="checkbox"/>	Often	<input type="checkbox"/>	Rarely <input type="checkbox"/> Never
Intravenous injections?	<input type="checkbox"/>	Often	<input type="checkbox"/>	Rarely <input type="checkbox"/> Never
Intubation?	<input type="checkbox"/>	Often	<input type="checkbox"/>	Rarely <input type="checkbox"/> Never
If yes, which species?				

Experience in anaesthesia

How much working time do you spend on/in anaesthesia ?	%
How many animals did you care for in anaesthesia?	
Which species did you have under your anaesthesia care?	
Do you have experience with:	
Pre-anaesthetic evaluation?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Premedication?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Induction?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Maintenance?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Recovery?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Pain therapy?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Do you have experience with the following equipment:	
ECG?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Pulse Oxymeter?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Capnography?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Blood pressure measurement invasive?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No
Blood pressure measurement non-invasive?	<input type="checkbox"/> Much <input type="checkbox"/> Some <input type="checkbox"/> No

Knowledge in Veterinary Anaesthesia

Midazolam belongs to which class of drugs?				
Sevoflurane is a:				
Inhalation anaesthetic	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Desinfectant for Endotracheal tubes	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Pain medication for reptiles	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Pulse Oximetry measures:				
The CO ₂ -Concentration in blood	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
The amount of inhalant anaesthetic	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
If blood really does flow through the arteries	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
The Oxygen saturation of arterial blood	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong

Nitrous oxide:				
Does not work in cats	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Is a strong anaesthetic agent	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Contributes to the destruction of the ozone layer	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
May influence the vitamin homeostasis, particular in unborns	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Behaves like CO ₂ in a gas cylinder	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Buprenorphine:				
Has a short duration of action	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Acts very well against worst pain	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Ist ein Kappa-agonist	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Can be applied epidurally	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Works badly or not at all in birds	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
The heart:				
Is regulated via intrinsic and extrinsic mechanisms	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Functions like two pumps in series	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Has similar anatomo-physiology in dogs , birds and crocodiles	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Can not be influenced by anaesthesia	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Has its own electrical conduction system, just like electricity in a house	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Renal insufficiency:				
Precludes a patient from receiving anaesthesia	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Is rather not important for the anaesthetist	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Can be treated well intraoperatively with high fluid rates	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Allows classification of the patient as ASA III-IV	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Has something to do with electrolyte balance	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
The anaesthesia machine:				
Needs to be completely cleaned and disinfected after each use	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Needs electricity	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Consists of three functional divisions	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Must always have a CO ₂ absorber canister mounted	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong
Is not used in our anaesthesia management	<input type="checkbox"/>	correct	<input type="checkbox"/>	wrong